## NSN 5950-00-519-9516

Electrical Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-519-9516

Reliability Indicator:
Not established
Turn Quantity:
24600 single component single winding
Mounting Hole Diameter:
0.281 inches single group
Body Length:
3.875 inches
Body Width:
3.125 inches
Body Height:
2.125 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Winding Conductor Size:
Winding Conductor Size:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding  Dc Resistance Rating In Ohms:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding  Dc Resistance Rating In Ohms:  2640.000 single component single winding
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding  Dc Resistance Rating In Ohms:  2640.000 single component single winding  Winding Operating Voltage:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:  2 tab, solder lug
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:  2 tab, solder lug Shelf Life:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:  2 tab, solder lug Shelf Life: N/a
Winding Conductor Size:  0.00708 inches american wire gage single component single winding Winding Operating Current:  87.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:  2640.000 single component single winding Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:  2 tab, solder lug Shelf Life: N/a
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding  Dc Resistance Rating In Ohms:  2640.000 single component single winding  Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a  Unit Of Measure:
Winding Conductor Size:  0.00708 inches american wire gage single component single winding  Winding Operating Current:  87.0 milliamperes dc single component single winding  Dc Resistance Rating In Ohms:  2640.000 single component single winding  Winding Operating Voltage:  230.00 dc pounds per hour wet single component single winding  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: