NSN 5950-00-521-2663

Power Transformer - Page 1 of 1

Shelf Life:

Unit Of Measure:

Demilitarization:

N/a

No Fiig: A058b0



View Online at https://aerobasegroup.com/nsn/5950-00-521-2663

View Offiline at https://derobasegroup.com/histi/0900-00-021-2000
Reliability Indicator:
Not establishednot established
Mounting Hole Diameter:
0.190 inches single group0.190 inches single group
Frequency Rating:
50.0 hertz single component or 50.0 hertz single component or 60.0 hertz single component60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single componentsingle phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single componentinternal shield grounded to inclosure and core single component
Body Length:
2.380 inches 2.380 inches
Body Width:
1.625 inches 1.625 inches
Body Height:
1.970 inches 1.970 inches
Maximum Operating Temp:
55.0 degrees celsius55.0 degrees celsius
Distance Between Mounting Facility Centers:
2.000 inches single mounting facility single center group2.000 inches single mounting facility single center group
Inclosure Type:
Fully enclosedfully enclosed
Mounting Facility Quantity:
2 single group2 single group
Mounting Method:
Flange single group and flange single group and unthreaded hole single groupunthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component
Winding Operating Voltage:
7.00 ac volts single component single secondary272.00 ac volts single component single primary
Terminal Type And Quantity:
5 tab, solder lug