## NSN 5950-00-522-3640



Reactor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-00-522-3640 **Reliability Indicator:** Not established **Overall Length:** 0.920 inches **Overall Height:** 0.790 inches **Inductance Rating:** 300.00 microhenries single component single primary Frequency Rating: 1.4 megahertz single component **Body Outside Diameter:** 0.780 inches **Body Height:** 0.530 inches **Maximum Operating Temp:** 71.0 degrees celsius **End Application:** LASE-RR-ANG-EFIN **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 1 single group **Mounting Method:** Threaded stud single group **Rating Method:** Electrical single component single primary Thready Qty Per Inch (tpi): 40 single group **Thread Size:** 0.112 inches single group **Winding Operating Current:** 1.0 amperes dc single component single primary Dc Resistance Rating In Ohms: 0.150 single component single primary **Special Features:** Operating temp. Range is -40 to +71 deg. C.; storage temp. Range is -62to +71 deg. C.; operating altitude is to 10, 000 ft.; storage altitude is to 50, 000 ft.

Thread Series Designator:

Unc single group

**Terminal Type And Quantity:** 

2 turret

Shelf Life:

N/a

## NSN 5950-00-522-3640

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0