## NSN 5950-00-523-9434

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-523-9434

| Reliability Indicator:  |
|---|
| Not established   |
| Inductance Rating:  |
| 300.00 microhenries single component single winding and 500.00 microhenries single component single winding |
| Coil Form Type:   |
| Hollow single component   |
| Core Construction:  |
| Powdered single component   |
| Adjustment Device Drive Type:   |
| Slotted screw single component  |
| Body Length:  |
| 2.250 inches  |
| Body Width:   |
| 1.180 inches  |
| Body Height:  |
| 1.485 inches  |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:   |
| 1 single group  |
| Mounting Method:  |
| Core single group and threaded stud single group  |
| Rating Method:  |
| Electrical single component single winding  |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.138 inches single group   |
| Winding Operating Current:  |
| 7.0 amperes dc single component single winding  |
| Dc Resistance Rating In Ohms:   |
| 1.000 single component single winding   |
| Quality Factor:   |
| 40 single component single winding  |
| Adjustment Method And Quantity:   |
| 1 adjustable core single component  |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 2 solder stud   |
| Shelf Life:   |

N/a

## NSN 5950-00-523-9434

Radio Frequency Coil - Page 2 of 2



|  |  |  | ure: |  |
|--|--|--|------|--|
|  |  |  |      |  |
|  |  |  |      |  |

--

Demilitarization:

No

Fiig:

A058b0