NSN 5950-00-533-6368

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-533-6368

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.530 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.930 inches single mounting facility single center group

Mounting Hole Diameter:

0.135 inches single group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component

Transformer Winding Connection Type:

Wye-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.800 inches

Body Width:

1.200 inches

Body Height:

0.900 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Bushing single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

60.0 milliamperes ac single component 3rd secondary

Winding Operating Voltage:

26.00 ac volts single component all secondary

Terminal Type And Quantity:

11 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-00-533-6368

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0