

View Online at <https://aerobasegroup.com/nsn/5950-00-535-4442>

**Reliability Indicator:**

Not establishednot established

**Overall Height:**

3.126 inches 3.126 inches

**Frequency Rating:**

380.0 hertz single component and 380.0 hertz single component and 420.0 hertz single component420.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single componentsingle phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single componentinternal shield grounded to inclosure and core single component

**Body Length:**

2.656 inches 2.656 inches

**Body Width:**

2.344 inches 2.344 inches

**Body Height:**

2.438 inches 2.438 inches

**Maximum Operating Temp:**

75.0 degrees celsius75.0 degrees celsius

**Distance Between Mounting Facility Centers:**

1.250 inches single mounting facility single center group1.250 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealedhermetically sealed

**Mounting Facility Quantity:**

2 single group2 single group

**Mounting Method:**

Threaded stud single groupthreaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 primary single component and 3 secondary single component3 secondary single component

**Thready Qty Per Inch (tpi):**

24 single group24 single group

**Thread Size:**

0.190 inches single group0.190 inches single group

**Winding Operating Current:**

1.8 amperes ac single component 1st secondary

**Winding Operating Voltage:**

6.30 ac volts single component 1st secondary6.30 ac volts single component 3rd secondary26.00 ac volts single component 2nd secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 standoff, wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0