

View Online at <https://aerobasegroup.com/nsn/5950-00-538-1235>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

1.562 inches

**Body Width:**

1.875 inches

**Body Height:**

1.625 inches

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Flange single group and unthreaded hole single group

**Winding Function And Quantity:**

1 primary, fixed autotransformer type single component

**Winding Tap Location (non-core):**

Multiple taps w/o center tap single component single primary output

**Winding Operating Current:**

1.5 amperes ac single component single primary input

**Winding Power Rating:**

172.0 volts-amperes single component single primary input

**Winding Operating Voltage:**

16.40 ac pounds per hour wet single component single primary output and 32.80 ac pounds per hour wet single component single primary output and 49.20 ac pounds per hour wet single component single primary output and 65.60 ac pounds per hour wet single component single primary output and 82.00 ac pounds per hour wet single component single primary output and 98.40 ac pounds per hour wet single component single primary output

**Terminal Type And Quantity:**

8 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0