

View Online at <https://aerobasegroup.com/nsn/5950-00-538-3849>

Frequency Rating:

60.0 hertz single component 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component internal shield grounded to inclosure single component

Body Length:

1.625 inches 1.625 inches

Body Width:

1.625 inches 1.625 inches

Body Height:

2.375 inches 2.375 inches

Maximum Operating Temp:

80.0 degrees celsius 80.0 degrees celsius

Inclosure Type:

Hermetically sealed hermetically sealed

Mounting Facility Quantity:

16 single group 16 single group

Mounting Method:

Threaded hole single group threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group 32 single group

Thread Size:

0.138 inches single group 0.138 inches single group

Winding Operating Current:

15.0 milliamperes ac single component single secondary

Winding Operating Voltage:

115.00 ac volts single component single primary and 115.00 ac volts single component single secondary 120.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0