# NSN 5950-00-538-6654

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-538-6654

# Reliability Indicator: Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.250 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.375 inches single mounting facility single center group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.875 inches

Body Width:

1.750 inches

Body Height:

2.688 inches

Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

Mounting Method:

Threaded stud single group

#### Winding Function And Quantity:

1 primary single component and 3 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

#### Winding Operating Current:

10.0 amperes ac single component 2nd secondary

#### Winding Operating Voltage:

26.00 ac volts single component 3rd secondary0.50 ac volts single component 2nd secondary

#### Thread Series Designator:

Unc single group

#### **Terminal Type And Quantity:**

8 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

### Demilitarization:

No

# NSN 5950-00-538-6654

Power Transformer - Page 2 of 2

**Fiig:** A058b0

