# NSN 5950-00-543-0023

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-543-0023

# Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 4.062 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

3.250 inches single mounting facility single center group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.500 inches

Body Width:

3.750 inches

Body Height:

5.125 inches

Inclosure Type:

Partially enclosed

**Mounting Facility Quantity:** 

4 single group

Mounting Method:

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 4 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

### Winding Operating Current:

8.5 amperes ac single component 3rd secondary

#### Winding Operating Voltage:

6.30 ac volts single component 3rd secondary117.00 ac volts single component single primary6.30 ac volts single component 4th

secondary

#### **Special Features:**

W/copper shorting band to reduce external magnetic field

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

11 wire lead

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5950-00-543-0023

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

