

View Online at <https://aerobasegroup.com/nsn/5950-00-543-9130>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

3.620 inches

Body Width:

3.500 inches

Body Height:

3.380 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Qty Per Inch (tpi):

24 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

2.5 amperes ac single component single secondary

Winding Operating Voltage:

115.00 ac volts single component single primary and 26.50 ac volts single component single secondary 170.00 ac volts single component single primary and 225.00 ac volts single component single primary and 280.00 ac volts single component single primary and 340.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0