

View Online at <https://aerobasegroup.com/nsn/5950-00-548-0783>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.703 inches single mounting facility single center group and 3.797 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.953 inches single mounting facility single center group and 3.047 inches single mounting facility single center group

Overall Height:

7.620 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 5.375 inches and 5.562 inches

Body Width:

Between 4.375 inches and 4.562 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.250 inches single group

Winding Operating Current:

60.0 amperes ac single component single secondary

Winding Power Rating:

360.0 volts-amperes single component single secondary

Winding Operating Voltage:

6.00 ac volts single component single secondary 120.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 bus (bar) conductor and 2 eyelet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0