# NSN 5950-00-548-0783

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-548-0783

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

3.703 inches single mounting facility single center group and 3.797 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.953 inches single mounting facility single center group and 3.047 inches single mounting facility single center group

# **Overall Height:**

7.620 inches

# Frequency Rating:

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

Between 5.375 inches and 5.562 inches

#### **Body Width:**

Between 4.375 inches and 4.562 inches

#### **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### **Thread Size:**

0.250 inches single group

# **Winding Operating Current:**

60.0 amperes ac single component single secondary

#### **Winding Power Rating:**

360.0 volts-amperes single component single secondary

# Winding Operating Voltage:

6.00 ac volts single component single secondary120.00 ac volts single component single primary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 bus (bar) conductor and 2 eyelet

#### Shelf Life:

N/a

# **Unit Of Measure:**

--

#### **Demilitarization:**

No

# NSN 5950-00-548-0783

Power Transformer - Page 2 of 2



Fiig:

A058b0