## NSN 5950-00-553-4551

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-553-4551

Thread Direction (non-core):

Err-070

**Reliability Indicator:** 

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

0.750 inches single mounting facility single center group

Frequency Rating:

1.6 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Winding Shielding Method:** 

Internal shield grounded to inclosure single component

**Body Length:** 

1.180 inches

**Body Width:** 

1.180 inches

**Body Height:** 

1.380 inches

Inclosure Type:

Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded hole single group

**Winding Function And Quantity:** 

1 primary and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

**Thread Size:** 

0.138 inches single group

**Winding Operating Current:** 

6.0 microamperes ac single component single secondary

**Winding Operating Voltage:** 

60.00 ac volts single component single secondary

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

6 tab, solder lug

Shelf Life:

N/a

## **NSN 5950-00-553-4551**Power Transformer - Page 2 of 2



	Of			

Demilitarization:

No

Fiig:

A058b0