

View Online at <https://aerobasegroup.com/nsn/5950-00-556-1186>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.438 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.938 inches single mounting facility single center group

**Transformer Function:**

Line

**Impedance Rating In Ohms:**

50.0 and 125.0 and 150.0 and 200.0 and 250.0 and 333.0 and 500.0 and 600.0 single component single secondary

**Frequency Rating:**

15.0 hertz and 30.0 kilohertz single component

**Maximum Transformer Power Rating:**

15.0 decibels single component

**Primary To Secondary Turn Ratio:**

2.72 to 1 single component

**Body Length:**

3.125 inches

**Body Width:**

2.625 inches

**Body Height:**

3.250 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Flange and unthreaded hole single group

**Winding Function And Quantity:**

1 primary and 1 secondary single component

**Winding Operating Current:**

1.0 milliamperes dc single component single primary

**Special Features:**

Case metal material; secondary impedance ratings obtain by various combination of connections to tap

**Terminal Type And Quantity:**

8 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0