

View Online at <https://aerobasegroup.com/nsn/5950-00-556-1186>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.438 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.938 inches single mounting facility single center group

Transformer Function:

Line

Impedance Rating In Ohms:

50.0 and 125.0 and 150.0 and 200.0 and 250.0 and 333.0 and 500.0 and 600.0 single component single secondary

Frequency Rating:

15.0 hertz and 30.0 kilohertz single component

Maximum Transformer Power Rating:

15.0 decibels single component

Primary To Secondary Turn Ratio:

2.72 to 1 single component

Body Length:

3.125 inches

Body Width:

2.625 inches

Body Height:

3.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange and unthreaded hole single group

Winding Function And Quantity:

1 primary and 1 secondary single component

Winding Operating Current:

1.0 milliamperes dc single component single primary

Special Features:

Case metal material; secondary impedance ratings obtain by various combination of connections to tap

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0