NSN 5950-00-556-9773

Pulse Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-556-9773

| Reliability Indicator: |
|---|
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 0.938 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.500 inches single mounting facility single center group |
| Inductance Rating: |
| 35.10 millihenries single component single secondary |
| Primary To Secondary Turn Ratio: |
| 1 to 1-3/4 single component |
| Pulse Repetition Rate: |
| 525.0 hertz single component |
| Body Length: |
| 2.406 inches |
| Body Width: |
| 2.000 inches |
| Body Height: |
| 1.500 inches |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thread Size: |
| 0.164 inches single group |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 4 wire hook |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| |

A058b0