## NSN 5950-00-556-9839

Reactor - Page 1 of 2

Reliability Indicator:

Not established



View Online at https://aerobasegroup.com/nsn/5950-00-556-9839

| Center To Center Distance Between Mounting Facilities Parallel To Length: |
|---|
| 2.625 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 2.125 inches single mounting facility single center group                 |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 10.00 henry single component single winding                               |
| Body Length:  |
| 3.562 inches  |
| Body Width:   |
| 3.062 inches  |
| Body Height:  |
| 3.875 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Rating Method:  |
| Electrical single component single winding                                |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.164 inches single group   |
| Winding Operating Current:  |
| 150.0 milliamperes dc single component single winding                     |
| Dc Resistance Rating In Ohms:   |
| 150.000 single component single winding                                   |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 2 tab, solder lug   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

## NSN 5950-00-556-9839

Reactor - Page 2 of 2



| em |  |  |  |
|----|--|--|--|
|    |  |  |  |
|    |  |  |  |

No

Fiig:

A058b0