

View Online at <https://aerobasegroup.com/nsn/5950-00-557-5433>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.125 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-wye

**Body Length:**

Between 3.307 inches and 3.317 inches

**Body Width:**

Between 1.323 inches and 1.333 inches

**Body Height:**

Between 1.370 inches and 1.380 inches

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Flange single group and unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

35.0 milliamperes ac single component single secondary

**Winding Operating Voltage:**

92.00 ac volts single component single secondary and 97.80 ac volts single component single secondary and 103.50 ac volts single component single secondary and 109.20 ac volts single component single secondary and 1.28 ac kilovolts single component single secondary

**Terminal Type And Quantity:**

20 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0