

View Online at <https://aerobasegroup.com/nsn/5950-00-557-6943>

Center To Center Distance Between Mounting Facilities Parallel To Length:

26.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

25.000 inches single mounting facility single center group

Mounting Hole Diameter:

0.432 inches single group

Frequency Rating:

57.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Maximum Transformer Power Rating:

304.0 kilovolt-ampere single component

Body Length:

28.000 inches

Body Width:

27.000 inches

Body Height:

40.500 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Cooling Method:

Forced air

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Voltage:

480.00 ac pounds per hour wet single component single primary

Test Data Document:

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

3 threaded stud and 6 bus (bar) conductor

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0