## NSN 5950-00-563-4103

Power Transformer - Page 1 of 2

Reliability Indicator:

Not established

Overall Length:



View Online at https://aerobasegroup.com/nsn/5950-00-563-4103

4.969 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.297 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.859 inches single mounting facility single center group
Frequency Rating:
320.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
3.062 inches
Body Width:
2.625 inches
Maximum Operating Temp:
70.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
1.25 amperes ac single component single secondary
Winding Operating Voltage:
6.30 ac volts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 wire hook
Shelf Life:
N/a

## NSN 5950-00-563-4103

Power Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0