4 phone jack and 1 wire lead

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-564-9670

Reliability Indicator:
Not established
Turn Quantity:
5-1/2 single component single primary
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.531 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.875 inches single mounting facility single center group
Frequency Rating:
30.0 megahertz single component and 42.0 megahertz single component
Coil Form Type:
Hollow single component
Adjustment Device Drive Type:
Shaft single component
Body Length:
1.875 inches
Body Width:
1.250 inches
Body Height:
3.750 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Winding turns single component single primary
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
40 single group
Thread Size:
0.112 inches single group
Winding Conductor Size:
0.05707 inches american wire gage single component single primary
Adjustment Method And Quantity:
1 adjustable core single component
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

NSN 5950-00-564-9670

Radio Frequency Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

