

View Online at <https://aerobasegroup.com/nsn/5950-00-568-2045>

**Reliability Indicator:**

Not established

**Impedance Rating In Ohms:**

50.0 single component single secondary and 200.0 single component single secondary and 250.0 single component single secondary and 600.0 single component single secondary

**Frequency Rating:**

30.0 hertz single component and 20.0 kilohertz single component

**Maximum Transformer Power Rating:**

12.0 watts single component

**Primary To Secondary Turn Ratio:**

1 to 7.7 single component

**Body Length:**

1.188 inches

**Body Outside Diameter:**

0.875 inches

**Distance Between Mounting Facility Centers:**

0.688 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

8.0 milliamperes dc single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

8 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0