NSN 5950-00-570-9308

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-570-9308

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

Overall Height:

6.250 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

3.938 inches

Body Width:

3.375 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Thread Size:

0.190 inches single group

Winding Operating Current:

1.5 amperes ac single component 1st secondary

Winding Operating Voltage:

5.50 ac volts single component 4th secondary

Special Features:

1 primary winding; 5 secondary windings

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

12 standoff, solder lug

Shelf Life:

N/a

NSN 5950-00-570-9308Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

Demilitarization:

No

Fiig:

A058b0