# NSN 5950-00-572-7158

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-572-7158

### **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 2.125 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.750 inches single mounting facility single center group **Frequency Rating:** 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield grounded to inclosure and core single component **Body Length:** 2.750 inches **Body Width:** 2.375 inches **Body Height:** 2.750 inches Inclosure Type: Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

#### **Mounting Method:**

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

**Thread Size:** 

0.138 inches single group

### Winding Operating Current:

23.0 milliamperes ac single component single secondary and 23.0 milliamperes ac single component single secondary

#### Winding Operating Voltage:

53.00 ac volts single component single secondary and 68.00 ac volts single component single secondary

#### Thread Series Designator:

Unc single group

#### **Terminal Type And Quantity:**

10 turret

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5950-00-572-7158

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

