NSN 5950-00-573-1617

Reactor-transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-573-1617

Reliability Indicator:

Not established

Overall Length:

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.570 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.907 inches single mounting facility single center group

Overall Height:

1.250 inches

2.000 inches

Overall Width:

1.500 inches

Inductance Rating:

300.00 microhenries 1st component 1st winding

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Operating Temp:

95.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Operating Current:

120.0 milliamperes dc single component single secondary

Dc Resistance Rating In Ohms:

0.100 single component 1st winding

Winding Operating Voltage:

44.00 ac volts single component 2nd secondary

Special Features:

Secondary current rated as dc

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

20 turret

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-00-573-1617

Reactor-transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0