## NSN 5950-00-578-1993

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-578-1993

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 0.656 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.625 inches single mounting facility single center group                 |
| Inductance Rating:  |
| 75.00 microhenries single component single primary                        |
| Frequency Rating:   |
| 2.5 megahertz single component  |
| Coil Form Type:   |
| Solid single component  |
| Body Length:  |
| 1.875 inches  |
| Body Width:   |
| 1.438 inches  |
| Body Height:  |
| 2.438 inches  |
| Inclosure Type:   |
| Open  |
| Mounting Facility Quantity:   |
| 2 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Rating Method:  |
| Electrical single component single primary                                |
| Winding Function And Quantity:  |
| 1 primary single component  |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.138 inches single group   |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 3 tab, solder lug   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |

No

Demilitarization:

## NSN 5950-00-578-1993

Radio Frequency Transformer - Page 2 of 2



Fiig:

A058b0