## NSN 5950-00-583-4524

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-583-4524

Reliability	Indicator:
-------------	------------

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

5.562 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.625 inches single mounting facility single center group

**Overall Height:** 

9.438 inches

**Inductance Type:** 

Fixed

**Inductance Rating:** 

11.00 henry single component single winding

Frequency Rating:

120.0 hertz single component

**Body Length:** 

6.750 inches

**Body Width:** 

6.000 inches

**Body Height:** 

8.000 inches

**Maximum Operating Temp:** 

105.0 degrees celsius

Winding Quantity:

1 single component

**Inclosure Type:** 

Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded stud single group

**Rating Method:** 

Electrical single component single winding

Thready Qty Per Inch (tpi):

18 single group

Thread Size:

0.312 inches single group

**Winding Operating Current:** 

500.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

60.000 single component single winding

**Thread Series Designator:** 

Unc single group

## NSN 5950-00-583-4524

Reactor - Page 2 of 2



i ei ii ii ii ai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-------------------------------------	----	--------	------	-----	-----------	--

2 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0