## NSN 5950-00-586-7237

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-586-7237

**Reliability Indicator:** Not established **Turn Quantity:** 3200 single component single primary **Inductance Rating:** 228.00 millihenries single component single primary Frequency Rating: 20.0 kilohertz single component **Coil Form Type:** Hollow single component **Adjustment Device Drive Type:** Slotted screw single component **Body Length:** 1.750 inches **Body Outside Diameter:** 1.250 inches **Distance Between Mounting Facility Centers:** 0.812 inches single mounting facility single center group **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 2 single group **Mounting Method:** Threaded stud single group **Rating Method:** Winding turns single component single primary and electrical single component single primary **Winding Function And Quantity:** 1 primary single component Thready Qty Per Inch (tpi): 32 single group **Thread Size:** 0.138 inches single group **Winding Conductor Size:** 0.00397 inches american wire gage single component single primary **Adjustment Method And Quantity:** 1 adjustable core single component **Special Features:** Tapped at 404 turns **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 

3 tab, solder lug

## NSN 5950-00-586-7237

Radio Frequency Transformer - Page 2 of 2



| She  | lf | Life: |  |
|------|----|-------|--|
| Oile | •• | LIIV. |  |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0