NSN 5950-00-587-2522

Reactor - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-00-587-2522 |
|--|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 16.750 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 9.500 inches single mounting facility single center group |
| Mounting Hole Diameter: |
| 0.500 inches single group |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 25.00 henry single component single winding |
| Body Length: |
| 16.562 inches |
| Body Width: |
| 12.812 inches |
| Body Height: |
| 12.625 inches |
| End Application: |
| An/fps-20, pp-1409/fps-20a power supply |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 6 single group |
| Mounting Method: |
| Flange single group and unthreaded hole single group |
| Winding Operating Current: |
| 2.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 50.000 single component single winding |
| Special Features: |
| $Bxr\ specification\ dwg\ l291836-1;\ reference\ data,\ fig\ 275,\ index\ 106,\ l-1301,\ t.O.\ 31p6-2fps20-4,\ sec\ 2,\ pg\ 730-1200000000000000000000000000000000000$ |
| Terminal Type And Quantity: |
| 2 standoff, threaded stud |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |

No

Fiig:

A058b0