

View Online at <https://aerobasegroup.com/nsn/5950-00-593-5665>

Reliability Indicator:

Not established

Mounting Slot Width:

0.250 inches single group

Frequency Rating:

480.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

230.0 volt-ampere single component

Winding Shielding Method:

Core grounded single component

Body Length:

3.500 inches

Body Width:

3.812 inches

Body Height:

4.312 inches

Maximum Operating Temp:

75.0 degrees celsius

Distance Between Mounting Facility Centers:

1.125 inches single mounting facility single center group

Inclosure Type:

Hermetically sealed with oil

Mounting Facility Quantity:

2 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

70.0 amperes ac single component 3rd secondary

Winding Power Rating:

15.0 watts single component all secondary

Winding Operating Voltage:

120.00 ac volts single component all secondary

Special Features:

Leads copper, shell steel, core silectron

Terminal Type And Quantity:

8 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0