NSN 5950-00-593-8087

Electrical Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-593-8087

Reliability Indicator:
Not established
Mounting Hole Diameter:
0.375 inches single group
Frequency Rating:
60.0 hertz single component
Core Construction:
Powdered single component
Body Length:
9.000 inches
Body Width:
3.000 inches
Body Height:
5.750 inches
Distance Between Mounting Facility Centers:
5.250 inches single mounting facility single center group
Winding Quantity:
1 single component
Inclosure Type:
Open
Mounting Facility Quantity:
2 single group
Mounting Method:
Flange single group and unthreaded hole single group
Rating Method:
y
Electrical single component single winding
•
Electrical single component single winding
Electrical single component single winding Dc Resistance Rating In Ohms:
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage:
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity:
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug Shelf Life:
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a Unit Of Measure:
Electrical single component single winding Dc Resistance Rating In Ohms: 13.000 single component single winding Winding Operating Voltage: 115.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a Unit Of Measure: Demilitarization: