NSN 5950-00-594-7968

Reactor - Page 1 of 2

Reliability Indicator:



View Online at https://aerobasegroup.com/nsn/5950-00-594-7968

| Not established |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.643 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.118 inches single mounting facility single center group |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 300.00 millihenries single component single winding |
| Body Length: |
| 3.505 inches |
| Body Width: |
| 3.006 inches |
| Body Height: |
| 3.768 inches |
| Maximum Operating Temp: |
| 105.0 degrees celsius |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Rating Method: |
| Electrical single component single winding |
| Thread Size: |
| 0.164 inches single group |
| Winding Operating Current: |
| 1.0 amperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 3.000 single component single winding |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 2 turret |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5950-00-594-7968

Reactor - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0