# NSN 5950-00-605-6309

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-605-6309

D	ام	ia	h	ii	i٤٠	, 1	ın	ч	i	са	4	_	r	
к	еı	ıα	D	Ш	IU	<b>7</b> I	Ш	u	ı	Ca	ш	υ	Г	

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.657 inches single mounting facility single center group and 2.719 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.281 inches single mounting facility single center group and 3.343 inches single mounting facility single center group

#### Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

Between 3.562 inches and 3.687 inches

**Body Height:** 

Between 4.375 inches and 4.500 inches

**Inclosure Type:** 

Fully enclosed

## **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.190 inches single group

## **Winding Operating Current:**

25.0 amperes dc single component single secondary

## Winding Power Rating:

137.5 volts-amperes single component single secondary

#### **Winding Operating Voltage:**

5.50 dc volts single component single secondary

#### **Thread Series Designator:**

Unf single group

## **Terminal Type And Quantity:**

6 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

# Demilitarization:

No

#### Fiig:

A058b0