

View Online at <https://aerobasegroup.com/nsn/5950-00-605-6781>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Fungus resistant

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.797 inches single mounting facility single center group and 5.827 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.562 inches single mounting facility single center group and 5.592 inches single mounting facility single center group

Overall Height:

7.562 inches

Overall Width:

6.000 inches

Mounting Slot Width:

0.297 inches single group and 0.327 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 7.047 inches and 7.077 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

2 primary single component and 1 secondary single component

Winding Operating Current:

34.5 amperes ac single component single secondary

Winding Power Rating:

1.36 kilovolt-amperes single component single secondary

Winding Operating Voltage:

34.70 ac volts single component single secondary and 39.50 ac volts single component single secondary

Terminal Type And Quantity:

7 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0