

View Online at <https://aerobasegroup.com/nsn/5950-00-607-0129>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Impedance Rating In Ohms:

1320.0 single component single secondary

Frequency Rating:

60.0 hertz single component

Primary To Secondary Turn Ratio:

1 to 2-23/32 single component

Pulse Repetition Rate:

1.5 kilohertz single component

Body Length:

2.375 inches

Body Width:

2.375 inches

Body Height:

2.469 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

22.6 amperes ac single component single primary

Dc Resistance Rating In Ohms:

0.790 single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0