

View Online at <https://aerobasegroup.com/nsn/5950-00-615-0413>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.859 inches single mounting facility single center group and 0.891 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.859 inches single mounting facility single center group and 0.891 inches single mounting facility single center group

**Overall Height:**

Between 1.937 inches and 2.188 inches

**Frequency Rating:**

380.0 hertz single component and 1.5 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

6.3 volt-ampere single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

Between 1.250 inches and 1.313 inches

**Body Width:**

Between 1.250 inches and 1.313 inches

**Body Height:**

Between 1.625 inches and 1.750 inches

**Maximum Operating Temp:**

105.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

55.0 milliamperes ac single component single primary

**Winding Operating Voltage:**

6.30 ac volts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

5 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0