NSN 5950-00-615-5099

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-615-5099

Reliability Indicator:
Not established
Overall Length:
1.938 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.813 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.500 inches single mounting facility single center group
Overall Height:
2.656 inches
Overall Width:
1.250 inches
Frequency Rating:
400.0 hertz single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary and 2 control single component
Saturation Current Rating:
8.0 milliamperes
Thready Qty Per Inch (tpi):
40 single group
Thread Size:
0.190 inches single group
Dc Resistance Rating In Ohms:
6200.000 single component all control
Winding Operating Voltage:
115.00 ac volts single component single primary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5950-00-615-5099 Saturable Reactor - Page 2 of 2



Fiig:

A058b0