

View Online at <https://aerobasegroup.com/nsn/5950-00-617-3519>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.438 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

5.938 inches

Body Width:

5.000 inches

Body Height:

6.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Power Rating:

900.0 volts-amperes single component single primary input

Winding Operating Voltage:

97.00 ac volts single component single primary output and 135.00 ac volts single component single primary output and 152.00 ac volts single component single primary output and 168.00 ac volts single component single primary output and 177.00 ac volts single component single primary output and 185.00 ac volts single component single primary output and 218.00 ac volts single component single primary output

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

9 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0