

View Online at <https://aerobasegroup.com/nsn/5950-00-617-5298>

Reliability Indicator:

Not established

Mounting Hole Diameter:

0.312 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

1.906 inches

Body Width:

1.593 inches

Body Height:

1.750 inches

Maximum Operating Temp:

100.0 degrees celsius

Distance Between Mounting Facility Centers:

1.250 inches single mounting facility single center group

Inclosure Type:

Open

Mounting Facility Quantity:

2 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Features Provided:

Color coded lead and tinned wire leads

Winding Operating Current:

27.0 milliamperes ac single component single primary

Winding Operating Voltage:

21.00 ac volts single component 1st secondary and 26.00 ac volts single component 1st secondary and 30.00 ac volts single component 1st secondary and 34.00 ac volts single component 1st secondary and 115.00 ac volts single component 1st secondary

Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0