NSN 5950-00-620-7844

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-620-7844

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.740 inches single mounting facility single center group and 3.760 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.990 inches single mounting facility single center group and 3.010 inches single mounting facility single center group

Overall Width:

Between 3.720 inches and 3.780 inches

Mounting Hole Diameter:

0.200 inches single group and 0.210 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta and wye-wye

Body Length:

5.800 inches

Body Height:

2.750 inches

Maximum Operating Temp:

210.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

42.0 amperes ac single component all secondary

Winding Operating Voltage:

195.00 ac volts single component single primary and 210.00 ac volts single component single primary

Test Data Document:

97151-69c37506 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

10 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-00-620-7844

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0