

View Online at <https://aerobasegroup.com/nsn/5950-00-645-0229>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

Overall Height:

5.938 inches

Frequency Rating:

350.0 hertz single component and 450.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.469 inches

Body Width:

2.969 inches

Body Height:

5.500 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded stud single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

300.0 milliamperes ac single component 3rd secondary

Winding Operating Voltage:

90.00 ac volts single component 1st secondary and 300.00 ac volts single component 1st secondary and 700.00 ac volts single component 1st secondary and 910.00 ac volts single component 1st secondary and 1.00 ac kilovolts single component 1st secondary

Terminal Type And Quantity:

13 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0