NSN 5950-00-645-0232

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-0232

| Reliability Indicator: |
|---|
| Not established |
| Overall Length: |
| 4.000 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.120 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.500 inches single mounting facility single center group |
| Overall Height: |
| 5.812 inches |
| Overall Width: |
| 3.406 inches |
| Frequency Rating: |
| 60.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Body Length: |
| 4.000 inches |
| Body Width: |
| 3.406 inches |
| Body Height: |
| 5.000 inches |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 1 primary single component and 3 secondary single component |
| Thready Qty Per Inch (tpi): |
| 20 single group |
| Thread Size: |
| 0.250 inches single group |
| Winding Operating Current: |
| 100.0 milliamperes ac single component 1st secondary |
| Winding Operating Voltage: |

Unc single group

Terminal Type And Quantity:

Thread Series Designator:

900.00 ac volts single component 1st secondary

9 standoff, solder lug

NSN 5950-00-645-0232

Power Transformer - Page 2 of 2



| _ | | | | | |
|---|----|------|---|--------|--|
| c | hο | JIF. | | .ife: | |
| J | | | _ | .II C. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0