

View Online at <https://aerobasegroup.com/nsn/5950-00-645-0505>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.750 inches single mounting facility single center group

Overall Height:

8.719 inches

Frequency Rating:

58.0 hertz single component and 62.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

5.250 inches

Body Width:

5.000 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Thread Size:

0.312 inches single group

Winding Operating Current:

50.0 milliamperes ac single component 4th secondary

Winding Operating Voltage:

5.08 ac volts single component 1st secondary

Special Features:

1 primary winding; 6 secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

20 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0