## NSN 5950-00-645-0534

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-0534

Re	liability Indicator:
	t established
Се	nter To Center Distance Between Mounting Facilities Parallel To Length:
	00 inches single mounting facility single center group
	nter To Center Distance Between Mounting Facilities Parallel To Width:
	00 inches single mounting facility single center group
	equency Rating:
	.0 hertz single component or 60.0 hertz single component
	out-output Phase Relationship:
-	gle phase to single phase single component
Во	dy Length:
3.0	162 inches
Во	dy Width:
2.9	138 inches
Во	dy Height:
3.7	'50 inches
Inc	losure Type:
Fu	lly enclosed
Mo	ounting Facility Quantity:
8 s	ingle group
Мс	ounting Method:
Th	readed hole single group
Wi	nding Function And Quantity:
2 p	rimary single component and 3 secondary single component
Th	ready Qty Per Inch (tpi):
32	single group
Th	read Size:
0.1	64 inches single group
Wi	nding Operating Current:
50	0 milliamperes ac single component 2nd secondary
Wi	nding Operating Voltage:
6.3	0 ac volts single component 1st secondary
Th	read Series Designator:
	c single group
	rminal Type And Quantity:
	standoff, solder lug
Sh	elf Life:
N/a	-
Un	it Of Measure:
De	militarization:
No	

## NSN 5950-00-645-0534

Power Transformer - Page 2 of 2

**Fiig:** A058b0

