NSN 5950-00-645-0621

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-645-0621

D	
	ity Indicator:
Not esta	
	To Center Distance Between Mounting Facilities Parallel To Length:
	ches single mounting facility single center group
	To Center Distance Between Mounting Facilities Parallel To Width:
	ches single mounting facility single center group
-	ncy Rating:
	tz and 60.0 hertz single component
-	utput Phase Relationship:
	hase to single phase single component
	g Shielding Method:
	shield grounded to inclosure single component
Body Lo	-
8.000 in	
Body W	/idth:
7.000 in	ches
Body H	eight:
5.375 in	ches
Inclosu	re Туре:
Hermeti	cally sealed
Mountir	ng Facility Quantity:
6 single	group
Mountir	ng Method:
Flange	and unthreaded hole single group
Winding	g Function And Quantity:
1 primar	y and 1 secondary single component
Winding	g Operating Current:
680.0 m	illiamperes ac single component single secondary
Winding	g Operating Voltage:
230.00 a	ac volts single component single primary
Termina	al Type And Quantity:
5 stando	off insulator
Shelf Li	fe:
N/a	
Unit Of	Measure:
Demilita	arization:
No	
Fiig:	
A058b0	