## NSN 5950-00-645-1083

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-1083

Reliability	Indicator
Not establis	shed

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

**Inductance Type:** 

Fixed

**Inductance Rating:** 

10.00 henry single component all winding

**Body Length:** 

Between 3.812 inches and 4.062 inches

**Body Width:** 

Between 3.260 inches and 3.500 inches

**Body Height:** 

Between 4.875 inches and 5.280 inches

**Winding Quantity:** 

2 single component

**Inclosure Type:** 

Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded stud single group

**Rating Method:** 

Electrical single component single winding

**Thread Size:** 

0.190 inches single group

**Winding Operating Current:** 

75.0 milliamperes dc single component 2nd winding

Dc Resistance Rating In Ohms:

435.000 single component 2nd winding

**Thread Series Designator:** 

Unf single group

**Terminal Type And Quantity:** 

4 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

**Demilitarization:** 

No

## NSN 5950-00-645-1083

Reactor - Page 2 of 2



Fiig:

A058b0