## NSN 5950-00-645-1435

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-645-1435

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.688 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 0.875 inches single mounting facility single center group                 |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 8.00 henry single component single winding                                |
| Body Length:  |
| 3.021 inches  |
| Body Width:   |
| 2.521 inches  |
| Body Height:  |
| 3.302 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 6 single group  |
| Mounting Method:  |
| Flange single group and unthreaded hole single group                      |
| Rating Method:  |
| Electrical single component single winding                                |
| Winding Operating Current:  |
| 100.0 milliamperes dc single component single winding                     |
| Dc Resistance Rating In Ohms:   |
| 230.000 single component single winding                                   |
| Terminal Type And Quantity:   |
| 2 standoff insulator  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |