

View Online at <https://aerobasegroup.com/nsn/5950-00-645-1557>

Reliability Indicator:

Not established

Overall Length:

Between 4.250 inches and 4.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.250 inches single mounting facility single center group

Overall Height:

6.219 inches

Overall Width:

Between 3.625 inches and 3.750 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and brought out to terminal single component

Body Height:

Between 5.500 inches and 5.625 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

53.0 milliamperes ac single component single secondary

Winding Operating Voltage:

230.00 ac volts single component single secondary and 1.05 ac kilovolts single component single secondary and 1.28 ac kilovolts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

7 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0