# NSN 5950-00-645-1567

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-1567

# Reliability Indicator: Not established Overall Length: 4.688 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

3.688 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

#### **Overall Height:**

5.625 inches

#### **Overall Width:**

4.000 inches

### **Frequency Rating:**

57.0 hertz single component and 63.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure and core single component

#### **Body Height:**

4.938 inches

# Maximum Operating Temp:

105.0 degrees celsius

#### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### Mounting Method:

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

### Thready Qty Per Inch (tpi):

20 single group

### **Thread Size:**

0.250 inches single group

### Winding Operating Current:

180.0 milliamperes ac single component single secondary

## Winding Operating Voltage:

30.00 ac volts single component single secondary and 630.00 ac volts single component single secondary and 660.00 ac volts single

component single secondary

### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

7 tab, solder lug

# NSN 5950-00-645-1567

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

